

# WATER FUN ID1 WITH **CEILING ELEMENT STAINLESS STEEL**

### **FUNCTION DESCRIPTION**

#### **Programme 1: Water Fun**

After the start of the programme by a button, the light in the shower changes from white to blue. A cold, refreshing Fog with very fine droplets starts to spray and a minty, cooling aroma fills the air. In a distance you hear the sound of waves and sea. Now the lowest pair of side nozzles at the level of the legs starts to spray cold water. After an adjustable time the pair of nozzles at the level of the hips follows, then the pair of nozzles at the level of the upper body. Now the temperature changes from cold to warm water, the light changes to red and the three pairs of side nozzles work in the opposite direction. The programme lapses with the cold aromatised Fog. After the end of the programme, the illumination changes back to white and the nozzles are switching off.

#### **Programme 2: Tropical Rain**

The programme starts with a warm Tropical Rain and a red-green colour change. A fruity, lively aroma fills the air. You hear birds tweeting. After an adjustable time two warm Waterfalls (Part- and Full Blade) patter additionally onto the guest in the shower. Now the rain is getting weaker again and the programme lapses with the warm Tropical Rain. After the end of the programme the illumination changes back to white, the Tropical Rain with aroma and the sound are switching off.

#### Programme 3: Mediterranean

The programme starts with a cold Fog and a red-green-blue colour change. In a distance you hear the roll of thunder. After an adjustable time a soft, warm Tropical Rain is added. In the following, the cold Fog stops and the programme lapses with the warm Tropical Rain. After the end of the programme the illumination changes back to white, the Rain and the sound are switching off.

#### SCOPE OF DELIVERY OF A COMPLETE PACKAGE

## **CONTROL PANEL**



Control panel incl. listed parts, pre-tubed, pre-wired and pre-mounted on PP board grey - Part no. 18987:

- 2 x Supply with pre-filter and ball valve MS <sup>3</sup>/<sub>4</sub>" female thread
- Thermomixer JRG <sup>3</sup>/<sub>4</sub>" with non-return valves
- 8 x Outlet with solenoid valve  $\frac{1}{2}$ " and screwing  $\frac{1}{2}$ "
- 2 x Solenoid valve for cold-warm change
- 2 x Emptying for the tube to the aromatised nozzles
- 2 x Fragrance pump with fragrance reservoir and empty switch
- 2 x Dosing valve for the injection of aroma into the water tube
- 2 x Microprocessor controller EDS1 in housing


### **TECHNICAL DATA**

Electrical supply	230 V-AC, 50 Hz
Power supply	150 W
Water supply	$2 \times \frac{3}{4}$ " female thread
Dimensions (W/H/D)	1200 x 750 x 200 mm
Weight	app. 25 kg



- 1 x Push-button plate 3-fold stainless steel polished - Part no. 25940
- 1 x Bonnet 3-fold Part no. 21031-1

Mist - 4 LED RGB Spots) - Part no. 24651






## NOZZLES

Details see page 74

6 x Side Nozzle - Part no. 19769-2





• 1 x Sound module MP3 - Part no. 18824-1 • 1 x Speaker - Part no. 14366-4

# TO BE PROVIDED BY THE BUILDER

- Plants room for the installation of the control panel • Power supply
- Water connection cold <sup>3</sup>/<sub>4</sub>"
- Water connection warm <sup>3</sup>/<sub>4</sub>"
- Needed pressure: 3 bar dynamic
- Water quantity: app. 70 l/min • Drain in the plants room
- Tubing to the nozzles
- 2 x Non-return according to DIN EN 1717

# **ACCESSORIES / OPTIONS**

• Fragrance